

8/15  
Watt/m

IP 20

CRI&gt;80

t<sub>a</sub> -10°÷ +40°Cup to  
**200 lm/w**25 mm / 160 led/m  
7mm 

Part Number	CCT (K)	Lumen/m	Ra	LED/m	V (Typ)	Cut	W/m	IP	EEC*
A41D24160827	2700K	1440	83	160	24V/DC	25mm	8W	IP20	C
A41D24160830	3000K	1510	83	160	24V/DC	25mm	8W	IP20	C
A41D24160840	4000K	1590	84	160	24V/DC	25mm	8W	IP20	C
A41D24161027	2700K	1690	83	160	24V/DC	25mm	10W	IP20	D
A41D24161030	3000K	1730	83	160	24V/DC	25mm	10W	IP20	C
A41D24161040	4000K	1790	84	160	24V/DC	25mm	10W	IP20	C
A41D24161527	2700K	2550	83	160	24V/DC	25mm	15W	IP20	D
A41D24161530	3000K	2830	83	160	24V/DC	25mm	15W	IP20	C
A41D24161540	4000K	2760	85	160	24V/DC	25mm	15W	IP20	C

\*\* The EEC specification refers in each case to the installed light source(s)



Datasheet download

**Strisce flessibili a LED 24V autoadesive IP20**

- LED 2835D doppio chip ad alta efficienza e a bassa caduta di tensione
- Consumo ridotto, alto rendimento
- 160 led/m: 8W/m, 10W/m e 15W/m
- Disponibile nei colori standard 2700K, 3000K e 4000K
- Fornite in nastro da 5m e cavetto di raccordo.

**24V Flexible adhesive LED strips IP20**

- LED 2835D Double Chip with high lumen efficiency and low voltage drop
- Reduced consumption, higher efficiency
- 160 led/m: 8W/m, 10W/m and 15W/m
- Available in standard 2700K, 3000K and 4000K
- Supplied in 5m roll with connecting cable

